



# NANOLUME Quick Ship

Micro Profile LED Task and Cove Fixture

Customer: \_\_\_\_\_ Date: \_\_\_\_\_

Project: \_\_\_\_\_



<b>Wattage</b>	3W or 6W per linear ft.
<b>Input Voltage</b>	90-120V, 230-277V
<b>Control</b>	Forward/Reverse Phase Line Dimmer, 0-10V*, DALI*, DMX*
<b>LED Spacing</b>	5/8" on center
<b>Length</b>	12"-72", in 6" increment
<b>Total Height</b>	0.82"
<b>Total Width</b>	1.03"
<b>Color Options</b>	2000K, 2400K, 2700K, 3000K, 3500K, 4000K
<b>Mounting</b>	Swivel, Hinge
<b>Available Optics</b>	10°, 15°x40°, 120°
<b>Rating</b>	Interior Only IP50
<b>CRI</b>	90+ CRI
<b>Finish</b>	White, Black
<b>Material</b>	High Temperature ABS Plastic
<b>Custom</b>	Contact Factory
<b>Dimming</b>	Patented CleanDim® Technology ensures even dimming from 0-100%.
<b>Max Run</b>	80 ft @ 120V (6W), 150ft @277V (6W)

\*Uses Boca SDS Module for 0-10V, Dali, or DMX Dimming.



## PRODUCT SPECIFICATIONS: MUST COMPLETE THE QUICKSHIP ORDERING GUIDE (SEE PAGE 3)

	WATTAGE	COLOR OPTION	VOLTAGE	OPTIC	FINISH	MOUNTING	LENS	BAFFLE	REFLECTOR <small>(Only Available with 120° Optics)</small>	QS
Nanolume	<b>3W</b> <b>6W</b>	<b>2000K</b> <b>2400K</b> <b>2700K</b> <b>3000K</b> <b>3500K</b> <b>4000K</b>	<b>120V</b> <b>277V</b>	<b>10°</b> <b>15°x 40°</b> <b>120°</b>	<b>W</b> White <b>B</b> Black	<b>S</b> Swivel <b>H</b> Hinge	<b>C</b> Clear <b>CLD</b> Clear Light Diffused (Not Available with Optics) <b>HD</b> Heavy Diffused (Not Available with Optics)	<b>SQ</b> Square <b>ASYM</b> Asymmetric	<b>Y</b> Yes <b>N</b> No	<b>QS</b> Quickship

### Quick Ship Terms:


- Orders must be received by 12pm est
- Quick ship fixtures are interior use only.
- Only lengths of 500 ft. Or less can be ordered.
- No custom modifications are available, only the standard qualifies.
- Any delays in approvals may void quick ship possibility.
- Errors/omissions will be sole responsibility of purchaser.
- Additional costs may apply.
- Minimum orders will apply.
- Subject to all standard approvals.
- All orders subject to all Boca Lighting and Controls terms and conditions.

### Nanolume Order Terms:

- Lead Time: **5 Business Days After Approvals**
- (1) Power feed and (1) Terminator Included per 43 feet
- 2 Clips included per less than 48" lengths and 3 Clips included per on 48" & 72" lengths


**DIMENSIONS:**

Note: Allow 1/4" for each end cap and 1.25" for power feed cable.



**MOUNTING INFORMATION:**

For vertical installation and installations above 4' please contact the factory for specific mounting instructions.



**LUMINAIRE INFORMATION:**

CCT (K)	Wattage	Lumens	LPW
2000	6	432	72
2400	6	510	85
2700	6	560	94
3000	6	588	98
3500	6	618	103
4000	6	636	106

\* Typical delivered lumen data is approximate. Actual lumens will vary due to installation environment and beam pattern. Please see IES files.



# Nanolume - QuickShip

## ORDER GUIDE

Customer:

Date:

PO:

Project:

Distributor:

TYPE	LENGTH 6" Increments	QUANTITY	WATTAGE	COLOR OPTION	VOLTAGE	OPTIC	FINISH	MOUNTING	LENS	BAFFLE	REFLECTOR <small>(Only Available with 120° Optics)</small>
											QS
											QS
											QS
											QS
											QS
											QS
											QS

Additional Power Feeds/End Caps Needed? Fill In Quantity, Additional Costs May Apply:

Project Notes:

### Nanolume Order Terms:

- Lead Time: 5 Business Days After Approvals
- (1) Power feed and (1) Terminator Included per 43 feet
- 2 Clips included per less than 48" and 3 Clips included per on 48" & 72"

### Quick Ship Terms:

- Orders Must be Received by 12pm EST
- Quick Ship Fixtures are Interior Use Only.
- Only Lengths of 500 Ft. or Less Can Be Ordered.
- No Custom Modifications are Available, Only the Standard Qualifies.
- Any Delays In Approvals May Void Quick Ship Possibility.
- Errors/Omissions will be Sole Responsibility of Purchaser.
- Additional Costs May Apply.
- Minimum Orders Will Apply.
- Subject to All Standard Approvals.
- All Orders Subject to Boca Lighting and Controls Terms and Conditions.

Boca Lighting and Controls · [www.Boca.Lighting](http://www.Boca.Lighting) · Phone: 561-989-5338 · Fax: 561-982-8323

We are constantly improving our fixtures and reserve the right to change options and specifications. For specific requirements, contact your Boca Lighting and Controls sales representative. This product complies with IES LM-79-08 testing procedures and relevant standards. All products proudly manufactured in the USA. All rights reserved. All names and trademarks are property of their respective owners. © 2024 Boca Lighting and Controls