HPNLS-TW

Small Profile Tuneable White
Linear LED Fixture

Customer: Date: Type:

Project:



Wattage	14W per linear ft*
Input Voltage	90-120V, 230-277V
Control	Standard DMX 512
LED Spacing	1.0” on Center
Length	12"-96", in 12" increments
Total Height	1.68”
Total Width	1.80” (not including clip)
Color Options	2000K, 2200K, 2400K, 2700K, 3000K, 3500K, 4000K, 5000K, 6500K
Mounting	Fixed, Swivel, Hinge, Vandal, 6", 12", 18" Extended Arm
Available Optics	10°x10°, 30°x30°, 60°x 60°, 10°x30°, 10°x40°, 10°x60°, 30°x60°, 60°x10°, 100°x100°
Rating	IP50, IP67, IP69K
CRI	90+ CRI
Power Cable	UL Standard 10 ft
Environmental	Operating temperature: -40°F-140°F Ambient(-40°C-60°C)** Storage temperature: -40°F-140°F Ambient indoor fixtures operation limited to =<50% relative humidity

** Military spec available under special request-lead times may be impacted.

KEY FEATURES:

- Tunable White control with selectable low, medium and high CCT settings.
- Adjustable color temperatures from 2000K to 6500K.
- DMX 512 control with multiple optic and mounting configurations.

PRODUCT SPECIFICATIONS:

PRODUCT	LOW	MEDIUM	HIGH	VOLTAGE	OPTIC	FINISH	LOCATION	MOUNTING	LENS	OPTIONS
HPNLS-TW										
	2000K **2200K** **2400K** **2700K** **3000K** **3500K** **4000K** **5000K** **6500K**	**2000K** **2200K** **2400K** **2700K** **3000K** **3500K** **4000K** **5000K** **6500K**	**2000K** **2200K** **2400K** **2700K** **3000K** **3500K** **4000K** **5000K** **6500K**	**120V** **277V**	**10°x10°** **30°x30°** **60°x60°** **10°x30°** **10°x40°** **10°x60°** **30°x60°** **60°x10°** **100°x100°**	**W** White **B** Black **G** Gray	**I** Interior-IP50 **E** Exterior-IP67 **N** Natatorium* **K** IP69K-Extreme Enviroment *Chromate Conversion with Marine Grade Powder Coat-IP67. Extra Charges may apply.	**F** Fixed **S** Swivel **H** Hinge **V** Vandal Proof Clip **6**" Extended Arm **12**" Extended Arm **18**" Extended Arm	**C** Clear **D** Diffused **SI** Satin Ice (Interior Use Only) **OP** Opal White	**SB** Square Baffle **ASYM** Asymmetric Baffle **SKB** Kicker Baffle **HL** Hexcell Louver* *Cannot be used with Satin Ice White or 120° optic

Boca Lighting and Controls · www.Boca.Lighting · Phone: 561-989-5338 · Fax: 561-982-8323

We are constantly improving our fixtures and reserve the right to change options and specifications. For specific requirements, contact your Boca Lighting and Controls sales representative. This product complies with IES LM-79-08 testing procedures and relevant standards. All products proudly manufactured in the USA. All rights reserved. All names and trademarks are property of their respective owners. © 2024 Boca Lighting and Controls

REV11242026

HPNLS-TW

Small Profile Tuneable
White Linear LED Fixture

DIMENSIONS:

For vertical installation and installations above 4’ please contact the factory for specific mounting instructions.



Plan View



Elevation View

MOUNTING INFORMATION:

Note: Fixtures 1-2ft, Place clips 3” from edge as shown. Fixtures more than 2ft., Place clips 3.5” from edges as shown.

Swivel



Hinge



Fixed



Vandal Resistant



Boca Lighting and Controls · www.Boca.Lighting · Phone: 561-989-5338 · Fax: 561-982-8323

We are constantly improving our fixtures and reserve the right to change options and specifications. For specific requirements, contact your Boca Lighting and Controls sales representative. This product complies with IES LM-79-08 testing procedures and relevant standards. All products proudly manufactured in the USA. All rights reserved. All names and trademarks are property of their respective owners. © 2024 Boca Lighting and Controls

REV11242026

HPNLS-TW

Small Profile Tuneable
White Linear LED Fixture

OPTICS



10°x10°



30°x30°



10°x60°



30°x60°



60°x60°

Boca Lighting and Controls · www.Boca.Lighting · Phone: 561-989-5338 · Fax: 561-982-8323

We are constantly improving our fixtures and reserve the right to change options and specifications. For specific requirements, contact your Boca Lighting and Controls sales representative. This product complies with IES LM-79-08 testing procedures and relevant standards. All products proudly manufactured in the USA. All rights reserved. All names and trademarks are property of their respective owners. © 2024 Boca Lighting and Controls

REV11242026